

Safety Data Sheet according to (EC) No 1907/2006 as amended

Page 1 of 15

LOCTITE 222

SDS No. : 168430 V001.0 Revision: 24.06.2022 printing date: 27.09.2023 Replaces version from: -

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

LOCTITE 222

1.2. Relevant identified uses of the substance or mixture and uses advised against Intended use: Anaerobic Adhesive

1.3. Details of the supplier of the safety data sheet HENKEL IBERICA S.A.

Bilbao 72-84 08005 Barcelona

Spain

Phone: +34 (93) 290 4201

ua-productsafety-es@henkel.com For Safety Data Sheet updates please visit our website https://mysds.henkel.com/index.html#/appSelection or www.henkeladhesives.com.

1.4. Emergency telephone number

Henkel Ibérica S.A. 93 290 41 00 (24 h)

Toxicological Information Service (INTCF) emergencies 24/365: + 34 91 562 04 20

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (CLP):

Serious eye irritation H319 Causes serious eye irritation. Specific target organ toxicity - single exposure H335 May cause respiratory irritation. Target organ: respiratory tract irritation Category 2

Category 3

2.2. Label elements

Label elements (CLP):

Hazard pictogram:



Cumene hydroperoxide

| Signal word: | Warning |
|--|--|
| Hazard statement: | H319 Causes serious eye irritation. H335 May cause respiratory irritation. |
| Precautionary statement: | "***" ***For consumer use only: P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P501 Dispose of contents/container in accordance with national regulation.*** |
| Precautionary statement: Prevention | P261 Avoid breathing vapors. |
| Precautionary statement: Response | P337+P313 If eye irritation persists: Get medical advice/attention. |

2.3. Other hazards

None if used properly. Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB) criteria.

Following substances are present in a concentration $\geq 0.1\%$ and fulfill the criteria for PBT/vPvB, or were identified as endocrine disruptor (ED):

This mixture does not contain any substances in concentration \geq the concentration limit that are assessed to be a PBT, vPvB or ED.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Declaration of the ingredients according to CLP (EC) No 1272/2008:

| Hazardous components CAS-No. EC Number REACH-Reg No. | Concentration | Classification | Specific Conc. Limits, M- factors and ATEs | Add. Information |
|--|---------------|---|---|---------------------|
| Cumene hydroperoxide 80-15-9 201-254-7 01-2119475796-19 | 1-< 3 % | STOT RE 2, H373 Skin Corr. 1B, H314 Acute Tox. 2, Inhalation, H330 Aquatic Chronic 2, H411 Acute Tox. 4, Oral, H302 Acute Tox. 4, Dermal, H312 Org. Perox. E, H242 STOT SE 3, H335 | Skin Irrit. 2; H315; C 3 - < 10 % Eye Dam. 1; H318; C 3 - < 10 % Eye Irrit. 2; H319; C 1 - < 3 % Skin Corr. 1B; H314; C >= 10 % STOT SE 3; H335; C >= 1 % ====== dermal:ATE = 1.100 mg/kg | |
| N,N-Diethyl-p-toluidine 613-48-9 210-345-0 | 0,1-< 1 % | Acute Tox. 3, Oral, H301 Acute Tox. 3, Dermal, H311 Acute Tox. 3, Inhalation, H331 STOT RE 2, H373 Aquatic Chronic 3, H412 | | |
| Titanium dioxide 13463-67-7 236-675-5 01-2119489379-17 | 0,1-< 1 % | Carc. 2, Inhalation, H351 | | |
| 1,4-Naphthalenedione 130-15-4 204-977-6 | 0,01-< 0,1 % | Acute Tox. 3, Oral, H301 Skin Corr. 1C, H314 Skin Sens. 1, H317 Eye Dam. 1, H318 Acute Tox. 1, Inhalation, H330 STOT SE 3, H335 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 | M acute = 10 M chronic = 1 | |

For full text of the H - statements and other abbreviations see section 16 "Other information". Substances without classification may have community workplace exposure limits available.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation:

Move to fresh air. If symptoms persist, seek medical advice.

Skin contact: Rinse with running water and soap. Obtain medical attention if irritation persists.

Eye contact: Rinse immediately with plenty of running water (for 10 minutes), seek medical attention from a specialist.

Ingestion: Rinse mouth, drink 1-2 glasses of water, do not induce vomiting, consult a doctor.

4.2. Most important symptoms and effects, both acute and delayed EYE: Irritation, conjunctivitis.

RESPIRATORY: Irritation, coughing, shortness of breath, chest tightness.

Prolonged or repeated contact may cause skin irritation.

4.3. Indication of any immediate medical attention and special treatment needed

See section: Description of first aid measures

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: water, carbon dioxide, foam, powder

Extinguishing media which must not be used for safety reasons:

High pressure waterjet

5.2. Special hazards arising from the substance or mixture

In the event of a fire, carbon monoxide (CO), carbon dioxide (CO2) and nitrogen oxides (NOx) can be released.

5.3. Advice for firefighters

Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear.

Additional information:

In case of fire, keep containers cool with water spray.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin and eyes. Wear protective equipment. Ensure adequate ventilation. Keep away from sources of ignition.

6.2. Environmental precautions

Do not empty into drains / surface water / ground water.

6.3. Methods and material for containment and cleaning up

Dispose of contaminated material as waste according to Section 13. For small spills wipe up with paper towel and place in container for disposal. For large spills absorb onto inert absorbent material and place in sealed container for disposal.

6.4. Reference to other sections

See advice in section 8

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid skin and eye contact. See advice in section 8

Hygiene measures:

Wash hands before work breaks and after finishing work. Do not eat, drink or smoke while working. Good industrial hygiene practices should be observed.

7.2. Conditions for safe storage, including any incompatibilities

Ensure good ventilation/extraction. Refer to Technical Data Sheet

7.3. Specific end use(s) Anaerobic Adhesive

8.1. Control parameters

Occupational Exposure Limits

Valid for

Spain

| Ingredient [Regulated substance] | ррт | mg/m ³ | ~ 1 | Short term exposure limit category / Remarks | Regulatory list |
|--|-----|-------------------|------------------------------|--|-----------------|
| Titanium dioxide 13463-67-7 [TITANIUM DIOXIDE] | | 10 | Time Weighted Average (TWA): | | VLA |

Predicted No-Effect Concentration (PNEC):

| Name on list | Environmental Compartment | Exposure period | Value | | Remarks | | |
|--|------------------------------------|--------------------|-----------------|-----|-----------------|--------|----------------------------------|
| | | periou | mg/l | ppm | mg/kg | others | |
| .alpha.,.alphaDimethylbenzyl hydroperoxide 80-15-9 | aqua (freshwater) | | 0,0031 mg/l | | | | |
| .alpha.,.alphaDimethylbenzyl hydroperoxide 80-15-9 | aqua (intermittent releases) | | 0,031 mg/l | | | | |
| .alpha.,.alphaDimethylbenzyl hydroperoxide 80-15-9 | aqua (marine water) | | 0,00031 mg/l | | | | |
| .alpha.,.alphaDimethylbenzyl hydroperoxide 80-15-9 | sewage treatment plant (STP) | | 0,35 mg/l | | | | |
| .alpha.,.alphaDimethylbenzyl hydroperoxide 80-15-9 | sediment (freshwater) | | | | 0,023 mg/kg | | |
| .alpha.,.alphaDimethylbenzyl hydroperoxide 80-15-9 | sediment (marine water) | | | | 0,0023 mg/kg | | |
| .alpha.,.alphaDimethylbenzyl hydroperoxide 80-15-9 | Soil | | | | 0,0029 mg/kg | | |
| Titanium dioxide 13463-67-7 | aqua (freshwater) | | | | | | no hazard identified |
| Titanium dioxide 13463-67-7 | aqua (marine water) | | | | | | no hazard identified |
| Titanium dioxide 13463-67-7 | sewage treatment plant (STP) | | | | | | no hazard identified |
| Titanium dioxide 13463-67-7 | sediment (freshwater) | | | | | | no hazard identified |
| Titanium dioxide 13463-67-7 | sediment (marine water) | | | | | | no hazard identified |
| Titanium dioxide 13463-67-7 | Soil | | | | | | no hazard identified |
| Titanium dioxide 13463-67-7 | Air | | | | | | no hazard identified |
| Titanium dioxide 13463-67-7 | Predator | | | | | | no potential for bioaccumulation |

Derived No-Effect Level (DNEL):

| Name on list | Application Area | Route of Exposure | Health Effect | Exposure Time | Value | Remarks |
|--|---------------------|----------------------|---|------------------|-----------|----------------------|
| .alpha.,.alphaDimethylbenzyl hydroperoxide 80-15-9 | Workers | inhalation | Long term exposure - systemic effects | | 6 mg/m3 | |
| Titanium dioxide 13463-67-7 | Workers | inhalation | Long term exposure - local effects | | 10 mg/m3 | no hazard identified |
| Titanium dioxide 13463-67-7 | General population | oral | Long term exposure - systemic effects | | 700 mg/kg | no hazard identified |

Biological Exposure Indices:

None

8.2. Exposure controls:

Engineering controls: Ensure good ventilation/extraction.

Respiratory protection: Ensure adequate ventilation.

An approved mask or respirator fitted with an organic vapour cartridge should be worn if the product is used in a poorly ventilated area Filter type: A (EN 14387)

Hand protection:

Chemical-resistant protective gloves (EN 374).

Suitable materials for short-term contact or splashes (recommended: at least protection index 2, corresponding to > 30 minutes permeation time as per EN 374):

nitrile rubber (NBR; ≥ 0.4 mm thickness)

Suitable materials for longer, direct contact (recommended: protection index 6, corresponding to > 480 minutes permeation time as per EN 374):

nitrile rubber (NBR; ≥ 0.4 mm thickness)

This information is based on literature references and on information provided by glove manufacturers, or is derived by analogy with similar substances. Please note that in practice the working life of chemical-resistant protective gloves may be considerably shorter than the permeation time determined in accordance with EN 374 as a result of the many influencing factors (e.g. temperature). If signs of wear and tear are noticed then the gloves should be replaced.

Eye protection:

Safety glasses with sideshields or chemical safety goggles should be worn if there is a risk of splashing. Protective eye equipment should conform to EN166.

Skin protection: Wear suitable protective clothing. Protective clothing should conform to EN 14605 for liquid splashes or to EN 13982 for dusts.

Advices to personal protection equipment:

The information provided on personal protective equipment is for guidance purposes only. A full risk assessment should be conducted prior to using this product to determine the appropriate personal protective equipment to suit local conditions. Personal protective equipment should conform to the relevant EN standard.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical stateliquidDelivery formCurrently under determinationColourpurpleOdorcharacteristic

Melting point Not available. Initial boiling point > 150 °C (> 302 °F) Flammability Explosive limits Flash point > 100 °C (> 212 °F) Auto-ignition temperature Decomposition temperature 3,00 - 6,00 None pН (; Conc.: 100 % product) Viscosity (kinematic) Currently under determination Solubility (qualitative) Slight (Solvent: Water) Solubility (qualitative) Miscible (Solvent: Acetone) Partition coefficient: n-octanol/water < 0,1300000 mbar Vapour pressure (25 °C (77 °F)) Vapour pressure < 300 mbar;no method (50 °C (122 °F)) Density 1,08 g/cm3 None () Relative vapour density: Not available. Particle characteristics Currently under determination

9.2. Other information Other information not applicable for this product

SECTION 10: Stability and reactivity

10.1. Reactivity Peroxides.

10.2. Chemical stability Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

See section reactivity

10.4. Conditions to avoid

Stable under normal conditions of storage and use.

10.5. Incompatible materials See section reactivity.

10.6. Hazardous decomposition products carbon oxides.

Currently under determination Currently under determination Currently under determination Currently under determination

Currently under determination

SECTION 11: Toxicological information

1.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

| Hazardous substances CAS-No. | Value type | Value | Species | Method |
|----------------------------------|---------------|---------------|---------|---|
| Cumene hydroperoxide 80-15-9 | LD50 | 382 mg/kg | rat | other guideline: |
| Titanium dioxide 13463-67-7 | LD50 | > 5.000 mg/kg | rat | OECD Guideline 425 (Acute Oral Toxicity: Up-and-Down Procedure) |
| 1,4-Naphthalenedione 130-15-4 | LD50 | 124 mg/kg | rat | equivalent or similar to OECD Guideline 401 (Acute Oral Toxicity) |

Acute dermal toxicity:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

| Hazardous substances CAS-No. | Value type | Value | Species | Method |
|---------------------------------|--|----------------|---------|------------------|
| Cumene hydroperoxide 80-15-9 | Acute toxicity estimate (ATE) | 1.100 mg/kg | | Expert judgement |
| Titanium dioxide 13463-67-7 | LD50 | > 10.000 mg/kg | rabbit | not specified |

Acute inhalative toxicity:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

| Hazardous substances CAS-No. | Value type | Value | Test atmosphere | Exposure time | Species | Method |
|----------------------------------|---------------|-------------|-----------------|------------------|---------|---|
| Cumene hydroperoxide 80-15-9 | LC50 | 1,370 mg/l | vapour | 4 h | rat | not specified |
| Titanium dioxide 13463-67-7 | LC50 | > 6,82 mg/l | dust | 4 h | rat | not specified |
| 1,4-Naphthalenedione 130-15-4 | LC50 | 0,046 mg/l | dust/mist | 4 h | rat | OECD Guideline 403 (Acute Inhalation Toxicity) |

Skin corrosion/irritation:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

| Hazardous substances CAS-No. | Result | Exposure time | Species | Method |
|----------------------------------|----------------------------|------------------|---------|--|
| Cumene hydroperoxide 80-15-9 | corrosive | | rabbit | Draize Test |
| Titanium dioxide 13463-67-7 | not irritating | 4 h | rabbit | OECD Guideline 404 (Acute Dermal Irritation / Corrosion) |
| 1,4-Naphthalenedione 130-15-4 | Category 1C (corrosive) | | rabbit | OECD Guideline 404 (Acute Dermal Irritation / Corrosion) |

Serious eye damage/irritation:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

| Hazardous substances CAS-No. | Result | Exposure time | Species | Method |
|---------------------------------|----------------|------------------|---------|---|
| Titanium dioxide 13463-67-7 | not irritating | | rabbit | OECD Guideline 405 (Acute Eye Irritation / Corrosion) |

Respiratory or skin sensitization:

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

| Hazardous substances CAS-No. | Result | Test type | Species | Method |
|----------------------------------|-----------------|---------------------------------------|------------|--|
| Titanium dioxide 13463-67-7 | not sensitising | Mouse local lymphnode assay (LLNA) | mouse | equivalent or similar to OECD Guideline 429 (Skin Sensitisation: Local Lymph Node Assay) |
| Titanium dioxide 13463-67-7 | not sensitising | Buehler test | guinea pig | OECD Guideline 406 (Skin Sensitisation) |
| 1,4-Naphthalenedione 130-15-4 | sensitising | not specified | guinea pig | not specified |

Germ cell mutagenicity:

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

| Hazardous substances CAS-No. | Result | Type of study / Route of administration | Metabolic activation / Exposure time | Species | Method |
|---------------------------------|----------|--|--|---------|--|
| Cumene hydroperoxide 80-15-9 | positive | bacterial reverse mutation assay (e.g Ames test) | without | | OECD Guideline 471 (Bacterial Reverse Mutation Assay) |
| Titanium dioxide 13463-67-7 | negative | bacterial reverse mutation assay (e.g Ames test) | with and without | | OECD Guideline 471 (Bacterial Reverse Mutation Assay) |
| Titanium dioxide 13463-67-7 | negative | in vitro mammalian chromosome aberration test | with and without | | OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test) |
| Titanium dioxide 13463-67-7 | negative | mammalian cell gene mutation assay | with and without | | OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test) |
| Titanium dioxide 13463-67-7 | negative | in vitro mammalian cell micronucleus test | without | | equivalent or similar to OECD Guideline 487 (In vitro Mammalian Cell Micronucleus Test) |

Carcinogenicity

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

| Hazardous components CAS-No. | Result | Route of application | Exposure time / Frequency of treatment | Species | Sex | Method |
|---------------------------------|------------------|----------------------|---|---------|-------------|---------------|
| Titanium dioxide 13463-67-7 | not carcinogenic | oral: feed | 103 w daily | rat | male/female | not specified |

Reproductive toxicity:

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

| Hazardous substances CAS-No. | Result / Value | Test type | Route of application | Species | Method |
|---------------------------------|---|-----------------------------|----------------------|---------|---|
| Titanium dioxide 13463-67-7 | NOAEL P >= 1.000 mg/kg NOAEL F1 >= 1.000 mg/kg | one- generation study | oral: feed | rat | OECD Guideline 443 (Extended One-Generation Reproductive Toxicity Study) |

STOT-single exposure:

No data available.

STOT-repeated exposure::

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

| Hazardous substances CAS-No. | Result / Value | Route of application | Exposure time / Frequency of | Species | Method |
|---------------------------------|---------------------|------------------------|---------------------------------|---------|--|
| | | | treatment | | |
| Cumene hydroperoxide 80-15-9 | | inhalation: aerosol | 6 h/d 5 d/w | rat | not specified |
| Titanium dioxide 13463-67-7 | NOAEL > 1.000 mg/kg | oral: gavage | 92 d daily | rat | OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) |

Aspiration hazard:

No data available.

11.2 Information on other hazards

not applicable

SECTION 12: Ecological information

General ecological information:

Do not empty into drains / surface water / ground water.

12.1. Toxicity

Toxicity (Fish):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

| Hazardous substances | Value | Value | Exposure time | Species | Method |
|----------------------|-------|------------------|---------------|---------------------|---------------------------|
| CAS-No. | type | | | | |
| Cumene hydroperoxide | LC50 | 3,9 mg/l | 96 h | Oncorhynchus mykiss | OECD Guideline 203 (Fish, |
| 80-15-9 | | | | | Acute Toxicity Test) |
| Titanium dioxide | LC50 | Toxicity > Water | 48 h | Leuciscus idus | OECD Guideline 203 (Fish, |
| 13463-67-7 | | solubility | | | Acute Toxicity Test) |
| 1,4-Naphthalenedione | LC50 | 0,045 mg/l | 96 h | Oryzias latipes | OECD Guideline 203 (Fish, |
| 130-15-4 | | - | | | Acute Toxicity Test) |

Toxicity (Daphnia):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

| Hazardous substances CAS-No. | Value type | Value | Exposure time | Species | Method |
|----------------------------------|---------------|--------------------------------|---------------|---------------|--|
| Cumene hydroperoxide 80-15-9 | EC50 | 18,84 mg/l | 48 h | Daphnia magna | OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test) |
| Titanium dioxide 13463-67-7 | EC50 | Toxicity > Water solubility | 48 h | Daphnia magna | OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test) |
| 1,4-Naphthalenedione 130-15-4 | EC50 | 0,026 mg/l | 48 h | Daphnia magna | OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test) |

Chronic toxicity to aquatic invertebrates

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

| at a M | Value type | Value | Exposure time | Species | Method |
|--------|---------------|--------------------------------|---------------|---------|--|
| | NOEC | Toxicity > Water solubility | 21 d | 1 | OECD Guideline 202 (Daphnia sp. Chronic Immobilisation Test) |

Toxicity (Algae):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

| Hazardous substances | Value | Value | Exposure time | Species | Method |
|----------------------------------|-------|--------------------------------|---------------|---|--|
| CAS-No. | type | | | | |
| Cumene hydroperoxide 80-15-9 | EC50 | 3,1 mg/l | 72 h | Desmodesmus subspicatus (reported as Scenedesmus subspicatus) | OECD Guideline 201 (Alga, Growth Inhibition Test) |
| Cumene hydroperoxide 80-15-9 | NOEC | 1 mg/l | 72 h | Desmodesmus subspicatus (reported as Scenedesmus subspicatus) | OECD Guideline 201 (Alga, Growth Inhibition Test) |
| Titanium dioxide 13463-67-7 | EC50 | Toxicity > Water solubility | 72 h | Pseudokirchneriella subcapitata | OECD Guideline 201 (Alga, Growth Inhibition Test) |
| Titanium dioxide 13463-67-7 | NOEC | Toxicity > Water solubility | 72 h | Pseudokirchneriella subcapitata | OECD Guideline 201 (Alga, Growth Inhibition Test) |
| 1,4-Naphthalenedione 130-15-4 | NOEC | 0,07 mg/l | 72 h | Pseudokirchneriella subcapitata | OECD Guideline 201 (Alga, Growth Inhibition Test) |
| 1,4-Naphthalenedione 130-15-4 | EC50 | 0,42 mg/l | 72 h | Pseudokirchneriella subcapitata | OECD Guideline 201 (Alga, Growth Inhibition Test) |

Toxicity to microorganisms

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

| Hazardous substances CAS-No. | Value type | Value | Exposure time | Species | Method |
|----------------------------------|---------------|--------------------------------|---------------|---|--|
| Cumene hydroperoxide 80-15-9 | EC10 | 70 mg/l | 30 min | not specified | not specified |
| Titanium dioxide 13463-67-7 | EC0 | Toxicity > Water solubility | 24 h | Pseudomonas fluorescens | DIN 38412, part 8 (Pseudomonas Zellvermehrungshemm- Test) |
| 1,4-Naphthalenedione 130-15-4 | EC50 | 5,94 mg/l | 3 h | activated sludge of a predominantly domestic sewage | OECD Guideline 209 (Activated Sludge, Respiration Inhibition Test) |

12.2. Persistence and degradability

| Hazardous substances CAS-No. | Result | Test type | Degradability | Exposure time | Method |
|-------------------------------------|----------------------------|-----------|---------------|------------------|---|
| Cumene hydroperoxide 80-15-9 | not readily biodegradable. | aerobic | 3 % | 28 d | OECD Guideline 301 B (Ready Biodegradability: CO2 Evolution Test) |
| N,N-Diethyl-p-toluidine 613-48-9 | not readily biodegradable. | | 1 % | 14 d | other guideline: |
| 1,4-Naphthalenedione 130-15-4 | not readily biodegradable. | aerobic | 0 % | 28 d | OECD Guideline 301 F (Ready Biodegradability: Manometric Respirometry Test) |

12.3. Bioaccumulative potential

| Hazardous substances CAS-No. | Bioconcentratio n factor (BCF) | Exposure time | Temperature | Species | Method |
|---------------------------------|-----------------------------------|---------------|-------------|-------------|---------------------------------|
| Cumene hydroperoxide | 9,1 | | | calculation | OECD Guideline 305 |
| 80-15-9 | | | | | (Bioconcentration: Flow-through |
| | | | | | Fish Test) |

12.4. Mobility in soil

| Hazardous substances CAS-No. | LogPow | Temperature | Method |
|----------------------------------|--------|-------------|--|
| Cumene hydroperoxide 80-15-9 | 1,6 | 25 °C | OECD Guideline 117 (Partition Coefficient (n-octanol / water), HPLC Method) |
| 1,4-Naphthalenedione 130-15-4 | 1,71 | | not specified |

12.5. Results of PBT and vPvB assessment

| Hazardous substances | PBT / vPvB |
|----------------------|--|
| CAS-No. | |
| Cumene hydroperoxide | Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very |
| 80-15-9 | Bioaccumulative (vPvB) criteria. |
| Titanium dioxide | According to Annex XIII of regulation (EC) 1907/2006 a PBT and vPvB assessment shall not |
| 13463-67-7 | be conducted for inorganic substances. |
| 1,4-Naphthalenedione | Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very |
| 130-15-4 | Bioaccumulative (vPvB) criteria. |

12.6. Endocrine disrupting properties

not applicable

12.7. Other adverse effects

No data available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product disposal: Do not empty into drains / surface water / ground water. Dispose of in accordance with local and national regulations.

Disposal of uncleaned packages:

After use, tubes, cartons and bottles containing residual product should be disposed of as chemically contaminated waste in an authorised legal land fill site or incinerated.

Waste code

08 04 09* waste adhesives and sealants containing organic solvents and other dangerous substances

The valid EWC waste code numbers are source-related. The manufacturer is therefore unable to specify EWC waste codes for the articles or products used in the various sectors. The EWC codes listed are intended as a recommendation for users. We will be happy to advise you.

| 14.1. | UN number | | |
|-------|---|---------------------|--|
| | ADR | Not dangerous goods | |
| | RID | Not dangerous goods | |
| | ADN | Not dangerous goods | |
| | IMDG | Not dangerous goods | |
| | IATA | Not dangerous goods | |
| 14.2. | UN proper shipping name | | |
| | ADR | Not dangerous goods | |
| | RID | Not dangerous goods | |
| | ADN | Not dangerous goods | |
| | IMDG | Not dangerous goods | |
| | IATA | Not dangerous goods | |
| 14.3. | Transport hazard class(es) | | |
| | ADR | Not dangerous goods | |
| | RID | Not dangerous goods | |
| | ADN | Not dangerous goods | |
| | IMDG | Not dangerous goods | |
| | IATA | Not dangerous goods | |
| 14.4. | Packing group | | |
| | ADR | Not dangerous goods | |
| | RID | Not dangerous goods | |
| | ADN | Not dangerous goods | |
| | IMDG | Not dangerous goods | |
| | IATA | Not dangerous goods | |
| 14.5. | Environmental hazards | | |
| | ADR | not applicable | |
| | RID | not applicable | |
| | ADN | not applicable | |
| | IMDG | not applicable | |
| | IATA | not applicable | |
| 14.6. | Special precautions for user | | |
| | ADR | not applicable | |
| | RID | not applicable | |
| | ADN | not applicable | |
| | IMDG | not applicable | |
| | IATA | not applicable | |
| 14.7. | Maritime transport in bulk according to IMO instruments | | |
| | not applicable | | |
| | | | |
| | | | |

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixtureOzone Depleting Substance (ODS) (Regulation (EC) No 1005/2009):Not applicablePrior Informed Consent (PIC) (Regulation (EU) No 649/2012):Not applicablePersistent organic pollutants (Regulation (EU) 2019/1021):Not applicable

VOC content (2010/75/EC)

15.2. Chemical safety assessment

A chemical safety assessment has not been carried out.

SECTION 16: Other information

The labelling of the product is indicated in Section 2. The full text

of all abbreviations indicated by codes in this safety data sheet are as follows:

H242 Heating may cause a fire.

H301 Toxic if swallowed. H302 Harmful if swallowed. H311 Toxic in contact with skin. H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H330 Fatal if inhaled. H331 Toxic if inhaled. H335 May cause respiratory irritation. H351 Suspected of causing cancer. H373 May cause damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

| ED: | Substance identified as having endocrine disrupting properties | |
|-------------|--|--|
| EU OEL: | Substance with a Union workplace exposure limit | |
| EU EXPLD 1: | Substance listed in Annex I, Reg (EC) No. 2019/1148 | |
| EU EXPLD 2 | Substance listed in Annex II, Reg (EC) No. 2019/1148 | |
| SVHC: | Substance of very high concern (REACH Candidate List) | |
| PBT: | Substance fulfilling persistent, bioaccumulative and toxic criteria | |
| PBT/vPvB: | Substance fulfilling persistent, bioaccumulative and toxic plus very persistent and very | |
| | bioaccumulative criteria | |
| vPvB: | Substance fulfilling very persistent and very bioaccumulative criteria | |

Further information:

This Safety Data Sheet has been produced for sales from Henkel to parties purchasing from Henkel, is based on Regulation (EC) No 1907/2006 and provides information in accordance with applicable regulations of the European Union only. In that respect, no statement, warranty or representation of any kind is given as to compliance with any statutory laws or regulations of any other jurisdiction or territory other than the European Union. When exporting to territories other than the European Union, please consult with the respective Safety Data Sheet of the concerned territory to ensure compliance or liaise with Henkel's Product Safety and Regulatory Affairs Department (ua-productsafety.de@henkel.com) prior to export to other territories than the European Union.

This information is based on our current level of knowledge and relates to the product in the state in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular properties.

Dear Customer,

Henkel is committed to creating a sustainable future by promoting opportunities along the entire value chain. If you would like to contribute by switching from a paper to the electronic version of SDS, please contact the local Customer Service representative. We recommend to use a non-personal email address (e.g. SDS@your_company.com).

Relevant changes in this safety data sheet are indicated by vertical lines at the left margin in the body of this document. Corresponding text is displayed in a different color on shadowed fields.